



2020

MACHINERY CATALOGUE

PELLENC

**NORTH
STAR**
Proven Performance

Oleo-Mac

WEIBANG[®]

LEGACY
CREATE YOUR OWN

solo
by AL-KO





LAWNMOWERS

WEIBANG

Perfection is our passion



INNOVATION, PERFORMANCE, QUALITY, DURABILITY. DESIGNED TO LAST

Weibang manufacture a wide range of high quality lawnmowers with various cutting widths and different engine options so that you can choose the most suited model for your lawn care.

In addition to the high quality lawnmower range Weibang offer a range of garden care products to include scarifiers & leaf and litter vacs.

For the quality conscious consumer who demands performance, durability and value. Weibang is the Brand that cannot be beaten.

ALUMINIUM DECK

WEIBANG
The Professionals Choice

WB486SKLAL ALUMINIUM DECK

Description

Ref Code	CA455W
Deck Type	Aluminium
Engine	Kohler XT675 149CC
Surface up to (m ²)	400 - 1000
Cutting width (mm)	480 mm (19")
Drive	Single Speed
Grasscatcher capacity (L)	65 L
N () cutting positions up () to ()	7 / 20 - 75
Wheel diameter	8" / 8"
Net weight (kgs)	50.2 Kgs
RSP Ex VAT	€592.68
RSP inc VAT	€ 729.00



KOHLER

Includes Mulch Plug



KOHLER

WB536SKLAL ALUMINIUM DECK

Description

Ref Code	CA475W
Deck Type	Aluminium
Engine	Kohler XT775 173 CC
Surface up to (m ²)	1000 - 3000
Cutting width (mm)	530mm (21")
Drive	Single Speed
Grasscatcher capacity (L)	70 L
N () cutting positions up () to ()	7 / 25 - 76
Wheel diameter	8" / 9"
Net weight (kgs)	50 Kgs
RSP Ex VAT	€625.20
RSP inc VAT	€769.00

WB536SKLALV ALUMINIUM DECK

Description

Ref Code	CA570W
Deck Type	Aluminium
Engine	Kohler XT775 173CC
Surface up to (m ²)	1000 - 3000
Cutting width (mm)	530mm (21")
Drive	Variable Speed
Grasscatcher capacity (L)	70 L
N () cutting positions up () to ()	7 / 25 - 76
Wheel diameter	8" / 9"
Net weight (kgs)	51 Kgs
RSP Ex VAT	€747.15
RSP inc VAT	€919.00



KOHLER



**MULCHING
RANGE**

WEIBANG
The Professionals Choice

**WB536SKV-M
MULCHING**

*** PRO 3 SPEED GEARBOX *
* OIL PUMP ***



Kawasaki

* Shaft Protection System *

Description

Ref Code	CA575W
Deck Type	Steel
Engine	Kawasaki FJ180V Oil Pump
Surface up to (m2)	1000 - 3000
Cutting width (mm)	530mm (21")
Drive	3 Speed Pro
N () cutting positions up () to ()	8/15-67
Wheel diameter	8" / 9"
Net weight (kgs)	55 Kgs
RSP Ex VAT	€771.54
RSP inc VAT	€949.00

**WB466SC-M
MULCHING
STEEL DECK**



Loncin

* Shaft Protection System *

Description

Ref Code	CA379W
Deck Type	Steel
Engine	Loncin 1P665FE-2 166cc
Surface up to (m2)	450 - 1000
Cutting width (mm)	460mm (18")
Drive	Single Speed
N () cutting positions up () to ()	7 / 15 - 76
Wheel diameter	8" / 8"
Net weight (kgs)	40.4 Kgs
RSP Ex VAT	€527.64
RSP inc VAT	€649.00





LAWNMOWERS

LEGACY

CREATE YOUR OWN



**A CONVINCING RESPONSE TO EVERY NEED:
MACHINES THAT MAKE AN EXPERT OF ANY USER**

Legacy was built upon a set core of values, whether it is our quality conscious consumer who demands performance, durability and value for money, Legacy can offer this quality at an affordable price.

**STEEL DECK
LAWNMOWERS**

LEGACY

**L46P-B
LAWNMOWERS**



Description

Ref Code	CA166W
Engine	Legacy 139cc
Deck	Steel
Deck Width	480 cm / 19"
Drive	Push
Height Adjustment	Single Lever
Grass Bag Capacity	55 Litre
Mulching	Yes
Side Discharge	No
RSP Ex VAT	€218.70
RSP inc VAT	€269.00

* Mulch Plug Included



**L46SHL-B
LAWNMOWERS**

Description

Ref Code	CA204W
Engine	Legacy 139cc
Deck	Deck Steel
Deck Width	480 cm / 19"
Drive	Self Drive
Height Adjustment	Single Lever
Grass Bag Capacity	65 Litre
Mulching	Yes
Side Discharge	Yes
RSP Ex VAT	€272.36
RSP inc VAT	€335.00

* Mulch / Collect / Side Discharge

**L46SHL-BS500
LAWNMOWERS**



**L51SHL-C
LAWNMOWERS**



Description

Ref Code	CA225W
Engine	Briggs & Stratton 500 Series
Deck	Steel
Deck Width	480 cm / 19"
Drive	Self Drive
Height Adjustment	Single Lever
Grass Bag Capacity	65 Litre
Mulching	Yes
Side Discharge	Yes
RSP Ex VAT	€291.87
RSP inc VAT	€359.00

* Mulch / Collect / Side Discharge

Description

Ref Code	CA235W
Engine	Legacy 173cc
Deck	Steel
Deck Width	530 cm / 21"
Drive	Self Drive
Height Adjustment	Single Lever
Grass Bag Capacity	65 Litre
Mulching	Yes
Side Discharge	Yes
RSP Ex VAT	€324.39
RSP inc VAT	€399.00

* Mulch / Collect / Side Discharge

**STEEL DECK
LAWNMOWERS**

**L53SHL-GCV170
LAWNMOWERS**

LEGACY



POWERED by
HONDA

Description	
Ref Code	CA339W
Engine	Honda GCV170
Deck	Steel
Deck	530 cm / 21"
Drive	Self Drive
Height Adjustment	Single Lever
Grass Bag Capacity	65 Litre
Mulching	Yes
Side Discharge	Yes
RSP Ex VAT	€446.34
RSP inc VAT	€549.00
* Mulch / Collect / Side Discharge	

**L51SHL-CEI
LAWNMOWERS**



**L51SHL-BS750
LAWNMOWERS**



Description	
Ref Code	CA309W
Engine	Legacy 173cc Electric Start
Deck	Steel
Deck Width	530 cm / 21"
Drive	Self Drive
Height Adjustment	Single Lever
Grass Bag Capacity	65 Litre
Mulching	Yes
Side Discharge	Yes
RSP Ex VAT	€405.69
RSP inc VAT	€499.00
* Mulch / Collect / Side Discharge	

Description	
Ref Code	CA279W
Engine	Briggs & Stratton 750 Series
Deck	Steel
Deck Width	530 cm / 21"
Drive Self Drive	Self Drive
Height Adjustment	Single Lever
Grass Bag Capacity	65 Litre
Mulching	Yes
Side Discharge	Yes
RSP Ex VAT €	€365.04
RSP inc VAT €	€449.00
* Mulch / Collect / Side Discharge	



**HT22
HEDGETRIMMER**



**B22S
BRUSHCUTTER**



**AT515
HEDGETRIMMER
ATTACHMENT**



Description			
Ref Code	CA115W	CA109W	CA39W
Power/Displacement	21.7cc/650kw	21.7cc/650kw	n/a
Weight	4.8kg	5.2Kg	2.8kg
Feature 1	Fuel Tank 240ml	Fuel Tank 240ml	Cutting Length 515mm
Feature 2	62cm Blade	Loop Handle	22mm Blade Spacing
Feature 3	Twist Handle	Long & Go Head 110mm	Rotation/Position 150°/12
Feature 4	28mm Blade Spacing	Single Harness Included	
RSP Ex VAT	€169.92	€161.79	€56.10
RSP inc VAT	€209.00	€199.00	€69.00



CHAINSAWS & PRUNERS





TOUGH, SAFE AND EASY TO USE: FEEL LIKE A TRUE PROFESSIONAL, EVERY DAY, IN EVERY SITUATION

Oleo-Mac chainsaws come in a full range of models designed to offer the right solution to individual requirements.

Pruning, felling, lopping: Oleo-Mac offers models with different specifications to suit the job in hand. However, each and every chainsaw in the range is characterised by top quality, reliable performance, easy use and maintenance.

Furthermore, the engine's low consumption and linear torque-speed response ensure premium performance even during extended periods of continuous duty. All machines are fitted with the very best safety features.

CHAINSAWS & PRUNERS



GSH 400 CHAINSAW



NEW



Description

Ref Code	CA119W
Power/Displacement	2.3 HP / 38.9cc
Bar Length	41 cm / 16"
Chain (pitch x gauge)	3/8 LP x .050
Oil Pump	automatic / adjustable
Oil / Fuel tank capacity	0.22 L / 0.32 L
Weight	4.5 Kg
RSP Ex VAT	€161.79
RSP inc VAT	€199.00

GSH 510 CHAINSAW



GSH 560 CHAINSAW



Description

Ref Code	CA159W
Power/Displacement	3.0 HP / 50.9cc
Bar Length	46 cm / 18"
Chain (pitch x gauge)	.325" x .050"
Oil Pump	automatic / adjustable
Oil / Fuel tank capacity	0.26 L / 0.55 L
Weight	5.0 Kg
RSP Ex VAT	€251.22
RSP inc VAT	€309.00

Description

Ref Code	CA169W
Power/Displacement	3.5 HP / 55.5cc
Bar Length	51 cm / 20"
Chain (pitch x gauge)	.325x058
Oil Pump	automatic / adjustable
Oil / Fuel tank capacity	0.26 L / 0.55 L
Weight	5.0 Kg
RSP Ex VAT	€267.48
RSP inc VAT	€329.00

GS 350 C UNIVERSAL CHAINSAW FOR HOME USE

Description

Ref Code	CA169W
Power/Displacement	2.0 HP - 1.5 KW / 38.9 cc
Bar Length	41 cm / 16"
Chain (pitch x gauge)	3/8" x 0.50"
Oil Pump	automatic
Oil / Fuel tank capacity	0.26 L / 0.36 L
Weight	4.4 Kg
RSP Ex VAT	€218.70
RSP inc VAT	€269.00



CHAINSAWS & PRUNERS



GS 371

UNIVERSAL CHAINSAW FOR INTENSIVE HOME USE



Description

Ref Code	CA210W
Power/Displacement	2.2 HP - 1.6 KW / 35.2 cc
Bar Length	41 cm / 16"
Chain (pitch x gauge)	3/8" x 0.50" Special
Oil Pump	automatic
Oil / Fuel tank capacity	0.22 L / 0.32 L
Weight	4.1 Kg
RSP Ex VAT	€275.61
RSP inc VAT	€339.00

GS 411 CHAINSAW FOR INTENSIVE USE

Description

Ref Code	CA248W
Power/Displacement	2.5 HP - 1.8 KW / 39.0 cc
Bar Length	41 cm / 16"
Chain (pitch x gauge)	.325" x 0.50" Microlite
Oil Pump	automatic / adjustable
Oil / Fuel tank capacity	0.26 L / 0.32 L
Weight	4.3 Kg
RSP Ex VAT	€324.39
RSP inc VAT	€399.00



GS 451 CHAINSAW FOR INTENSIVE USE



GS 651 "HEAVY DUTY" PROFESSIONAL CHAINSAW



Description

Ref Code	CA297W
Power/Displacement	2.9 HP - 2.1 KW / 42.9 cc
Bar Length	46 cm / 18"
Chain (pitch x gauge)	.325" x .050"
Oil Pump	automatic / adjustable
Oil / Fuel tank capacity	0.26 L / 0.32 L
Weight	4.3 Kg
RSP Ex VAT	€389.43
RSP inc VAT	€479.00

Description

Ref Code	CA429W
Power/Displacement	4.7 HP - 3.5 KW / 63.4 cc
Bar Length	51 cm / 20"
Chain (pitch x gauge)	3/8" x 0.58"
Oil Pump	automatic / adjustable
Oil / Fuel tank capacity	0.45 L / 0.80 L
Weight	6.3 Kg
RSP Ex VAT	€560.16
RSP inc VAT	€689.00

GENERAL TERMS & CONDITIONS

CONDITIONS:

These terms and conditions form the basis of the contract between Camsaw Distributors Ltd and its customers. All goods and services supplied by Camsaw shall be on these Terms & Conditions.

Camsaw is entitled at any time to modify any of these conditions by issuing to the customer a new version of these conditions, and such new conditions shall apply to each supply of goods thereafter.

DELIVERY:

1.1 Camsaw takes no liability for goods delivered by courier once they leave the company's premises. At the time of delivery of the Products the customer shall check the quantity and the specifications of the products delivered. Any claim by the customer in respect of the quantity or the quality of the delivery on the products.

1.2 Where goods are specially ordered from the manufacturer any carriage charge made by the manufacturer will be included.

1.3 All machines sold will be supplied with the manufacturer's instruction manual and it is the customer's responsibility to read these instructions and to make sure that they are understood before the machine is used.

RISK, PASSING OF PROPERTY AND RETENTION OF TITLE:


2.1 The goods shall be at the customer's risk as from delivery.

WARRANTY:

3.1 The manufacturer warrants the quality of the Products for a period of 24 months following the date of delivery, subject to the customary tolerances and excluding those defects which may arise due to transportation, improper use or inappropriate storage or maintenance of the products.

3.2 The warranty shall be subject to the customer duly informing Camsaw in writing within 7 days by completing a warranty claim form, following the discovery of the particular defect or lack of quality, failing which the customer shall lose its rights under the warranty in respect thereof and shall also be subject to the customer making an express written request to the seller to provide assistance under the warranty.





3.3 The warranty consists in either the repair or replacement, at Camsaw's sole discretion and at its expense, of the products which may prove to be broken or defective due to manufacturing defects. Camsaw shall replace or repair the defective parts in the shortest time possible (which will be calculated on a case by basis) and Camsaw shall have the right to request that the customer return the defective parts and / or products which have been replaced.

SETTLEMENT TERMS:

4.1 All goods are strictly 30 days' credit. until payment has been received goods supplied will remain the seller's property.

4.2 Accounts that exceed the 30-day credit terms may be placed on hold and no further goods supplied until the account is brought up to date. If payment has been made by post-dated cheques, the account will remain on hold until funds are cleared.

4.3 Returned Cheques - If cheques are not paid customers will incur an admin charge of 10.00 plus vat each and every time they are returned and your account will be placed on hold immediately.

4.4 All payments should include a remittance advice clearly detailing the invoices and credit notes that payment is to be applied to. If no advice is received, payment will be applied to the oldest unpaid invoices.

4.5 Overdue Accounts will be subject to interest; this interest will be charged using the applicable ECB rate plus 8%, as outlined in the European Communities (Late payment in commercial transactions) Regulations 2012, which provides for the entitlement to interest if payment for commercial transactions is late.

Camsaw will review customer credit accounts on an on-going basis, should a customer default on a payment the customer credit limit will be reviewed and may be reduced or the account closed.

Where no credit account has been opened, payment on order by cash or credit card is necessary to ensure delivery.

NON PAYMENT OF ACCOUNTS AND CLOSING ACCOUNTS:

From such time as the products are delivered, the customer undertakes to look after the products with requisite care, given that the ownership of the products shall pass to the customers only upon payment in full of the sale price of the products.

In the event that the customer fails to pay the price, Camsaw shall be entitled without any formalities, including sending a notice of default, to reposses all of the products with respect to which title has not yet passed to the customer wherever said products may be.



ADDRESS

Unit 12
Portarlinton Business Park,
Canal Road, Portarlinton,
Co. Laois, Ireland
R32 NY03

CONTACT

P +353 (057) 8623809
www.camsaw.ie
info@camsaw.ie